Non-Phthalate Plastisol Inks (Midori Series)

High Opacity (HO)



Applications

- -Direct printing
- -Medium to dark colored garments
- -100% Cotton garments
- -Cotton/Polyester, Acrylic &

Polyester garments (with LB underlay)

Features

- -Low build-up
- -Easily releases from the screen
- -Very soft hand
- -High opacity for great coverage

General Info:

High Opacity (HO) inks are formulated to be directly printed onto medium to dark colored, 100% cotton garments. These inks provide great coverage and have a creamy body unlike most High Opacity inks, therefore making the ease of printing more simple.

Bleed Resistance: None

Opacity: High

Storage: Ideally 65° to 80°F. Keep out of direct sunlight.

Mesh: 86-240 (34 to 110 threads per cm)

Stencil: Any direct emulsion or capillary film.

Wet on Wet Printing: Can be printed wet-on-wet to increase production.

Modifications: To reduce viscosity use Curable Reducer (I10-9906), improve stretch use G&S Base (I10-1020), puff use Puff Additive (I10-9903), extend color use Soft-hand Base (I10-0111) & for suede puff or dulling use Suede Additive (I10-9907).

Squeegee Hardness & Angle: Medium to hard at a 45 degree angle.

Flashing: 700°F for 9 seconds, just enough for the surface to be tack free.

Squeegee Blade: Sharp.

Fusion/Curing: 270°F/132°C to 325°F/163°C for 1 to 1½ minutes. Oven temperature can be increased and dwell time decreased. For heat presses use 390°F/195°C for 8 seconds. To reduce crocking on reds, they should be cured at higher temp or a clear printed as a top coat to seal the red.

Wash-up: Any plastisol cleaner.

Special Notes: PVC inks are thermoplastic compounds that require heat to fuse or cure. If ink rubs off on a white cloth or cracks, temperature and/or dwell time should be increased. Do not dry clean and always test on fabric to be printed. **Standard Colors:**

(Refer to Standard Color-card for color reference)

HO Brite Orange	JB-4030-HO	HO Dallas Green
HO Brite Red	JB-4053-HO	HO Kelly Green
HO Marine Blue	JW-6501-HO	HO Panther Pink
	JW-6008-HO	HO Drake Red
	I-11-8520	HO Fls Lemon
HO Lt Blue	I-11-8515	HO Fls Magenta
HO Turquoise	I-11-8534	HO FIs Pink
• • • • • • • • • • • • • • • • • • •	I-11-8530	HO FIs Red
HO Dk Brown	I-11-8532	HO Fls Green
HO Nu Brown	I-11-8531	HO FIs Blue
	I-11-8533	HO Fls Violet
	I-11-8535	HO Fls Orange
		_
	HO Marine Blue HO Brite Royal HO Sky Blue HO Lt Blue HO Turquoise HO PMS Cool Gray 4C	HO Brite Red HO Marine Blue HO Brite Royal HO Sky Blue HO Lt Blue HO Turquoise HO PMS Cool Gray 4C HO Dk Brown HO Nu Brown HO Lt Brown HO Mile High Green JW-6501-HO JW-6008-HO I-11-8530 I-11-8533 I-11-8533