# **SAFETY DATA SHEET**



Issuing Date 16-Aug-2019 Revision date 16-Aug-2019 Revision Number 1

# 1. Identification

Product identifier

Product Name Dulling Additive

Other means of identification

Product Code(s) 1109907

Document I109907

**Synonyms** -S, -QT, -GL, -5G, -55DM, -30DM, 20KG, 230KG, 21KG, 22KG, 25KG, DM, 50DM, 28KG,

302KG, 600DM, 304KG

Recommended use of the chemical and restrictions on use

Recommended use Textile screen printing ink

Restrictions on use No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

W. M. Plastics, Inc 5301 Terminal Street, Suite A, Charlotte, NC 28208 USA

Emergency telephone number

Company Phone Number Non-emergency 1-704-599-0511

**24 Hour Emergency Phone Number** Infotrac 1-800-535-0853 24 Hour (US & Canada) **Emergency Telephone** Infotrac 800 535-0853 24 Hour (US & Canada)

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Specific target organ toxicity (single exposure)	Category 3
Aspiration hazard	Category 1

### Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

## Danger

# Hazard statements

May cause drowsiness or dizziness

May be fatal if swallowed and enters airways



Appearance viscous Physical state Liquid Odor Slight

#### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

# **Precautionary Statements - Response**

IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Other information

May be harmful if inhaled Toxic to aquatic life with long lasting effects Toxic to aquatic life

### Unknown acute toxicity

98.81014 % of the mixture consists of ingredient(s) of unknown toxicity

87.44895 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

98.81014 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

98.81014 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

98.81014 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

66.05341 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

# 3. Composition/information on ingredients

#### Substance

Not applicable.

### Mixture

### **Synonyms**

-S, -QT, -GL, -5G, -55DM, -30DM, 20KG, 230KG, 21KG, 22KG, 25KG, DM, 50DM, 28KG, 302KG, 600DM, 304KG.

Chemical name	CAS No.	Weight-%	Trade secret
Additive 123	78-78-4	20 - 40	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. First-aid measures

#### **Description of first aid measures**

**General advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Inhalation** Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing

has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed

pulmonary edema may occur.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical

advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as

required.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians Because of the danger of aspiration, emesis or gastric lavage should not be employed

unless the risk is justified by the presence of additional toxic substances.

# 5. Fire-fighting measures

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

# 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas.

**Other information** Refer to protective measures listed in Sections 7 and 8.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

# 7. Handling and storage

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Ensure adequate

ventilation. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable

respiratory equipment.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children. Store away from other materials.

# 8. Exposure controls/personal protection

#### Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Additive 123	TWA: 1000 ppm	-	-
78-78-4			

### **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

**Eye/face protection** If splashes are likely to occur, wear safety glasses with side-shields.

**Skin and body protection**No special protective equipment required.

**Respiratory protection**No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Physical state Liquid Appearance viscous

**Color** Slightly White or bone color

**Odor** Slight

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available None known pН Melting point / freezing point No data available None known Boiling point / boiling range >200 No data available None known None known Flash point >200 No data available **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 1.05 to 1.1

Water solubility No data available None known Solubility in other solvents No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other information

Explosive propertiesNo information availableOxidizing propertiesNo information availableSoftening pointNo information availableMolecular weightNo information available

**VOC Content (%)** <0.02 g/L .?

Liquid Density

No information available

Bulk density

No information available

# 10. Stability and reactivity

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of hazardous reactions 
None under normal processing.

**Conditions to avoid** None known based on information supplied.

**Incompatible materials**None known based on information supplied.

**Hazardous decomposition products** None known based on information supplied.

# 11. Toxicological information

Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness. May be

harmful if inhaled.

**Eye contact** Specific test data for the substance or mixture is not available. May cause irritation.

**Skin contact** Repeated exposure may cause skin dryness or cracking.

**Ingestion** Specific test data for the substance or mixture is not available. Potential for aspiration if

swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema

and pneumonitis. May be fatal if swallowed and enters airways.

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapor

concentrations may cause symptoms like headache, dizziness, tiredness, nausea and

vomiting.

### **Acute toxicity**

#### **Numerical measures of toxicity**

No information available

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 29,142.80 mg/kg ATEmix (inhalation-dust/mist) 290.17 mg/l

#### Unknown acute toxicity

98.81014 % of the mixture consists of ingredient(s) of unknown toxicity

87.44895 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

98.81014 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

98.81014 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

98.81014 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

66.05341 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Additive 123	-	-	= 280000 mg/m <sup>3</sup> (Rat)4 h
78-78-4			

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** May cause drowsiness or dizziness.

**STOT - repeated exposure**No information available.

**Target organ effects** Respiratory system, Eyes.

**Aspiration hazard** May be fatal if swallowed and enters airways.

Other adverse effects No information available.

Interactive effects No information available.

# 12. Ecological information

**Ecotoxicity** Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Additive 123 78-78-4	-	-	1	EC50: =2.3mg/L (48h, Daphnia magna)

Persistence and degradability No information available.

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
Additive 123	3.2 - 3.3
78-78-4	

Other adverse effects No information available.

# 13. Disposal considerations

# Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

US EPA Waste Number U043

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

Chemical name	California Hazardous Waste Status
Additive 123 78-78-4	Ignitable

# 14. Transport information

**DOT** Not regulated

TDG Not regulated

MEX Not regulated

ICAO (air) Not regulated

IATA Not regulated

IMDG Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

# 15. Regulatory information

International Inventories

TSCA Contact supplier for inventory compliance status. **DSL/NDSL** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL PICCS** Contact supplier for inventory compliance status. **AICS** Contact supplier for inventory compliance status.

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

pertaining to releases of this material.

#### US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Vinyl Chloride Monomer	Carcinogen

#### **U.S. State Right-to-Know Regulations**

### **US State Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Additive 123 78-78-4	Х	X	Х
Powder Additive 126	-	X	Х

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. Other information

NFPA Health hazards 2 Flammability 0 Instability 0 Physical and chemical

properties -

Health hazards 2 Flammability 0 Physical hazards 0 Personal protection X

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

**Issuing Date** 16-Aug-2019

Revision date 16-Aug-2019

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **End of Safety Data Sheet**

# **Data for Regulatory Rules**

Region	Template name	Revision Note
United States of America	AGHS	2.0

Acute health hazard Yes Chronic Health Hazard Yes

**TSCA** Does not comply **DSL/NDSL** Does not comply **EINECS/ELINCS** Does not comply **ENCS** Does not comply **IECSC** Complies **KECL** Complies **PICCS** Complies **AICS** Complies

# **GHS Product Information**

Physical state Liquid

Category 3

# Americas (OSHA)

# **GHS Classification**

Aspiration hazard Category 1

Signal word Danger

Hazard statements May be fatal if swallowed and enters airways

Signal word Danger

Specific target organ toxicity (single exposure)

Hazard statements May cause drowsiness or dizziness

Signal word Warning Aspiration hazard - (H304) STOT - single exposure - (H336)

Aspiration hazard



STOT - single exposure

Hazard statements EUH066 - Repeated exposure may cause skin dryness or cracking

Hazard statements May cause drowsiness or dizziness May be fatal if swallowed and enters airways

Hazard statements H304 - May be fatal if swallowed and enters airways H336 - May cause drowsiness or dizziness Precautionary Statements - EU (§28, P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician P331 - Do

1272/2008) NOT induce vomiting

Full text of H-Statements referred to under EUH066 - Repeated exposure may cause skin dryness or cracking

section 3

### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

### **Precautionary Statements - Response**

### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor if you feel unwell

# Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 29,142.80

mg/kg

Inhalation ATEmix (inhalation-dust/mist)

290.17 mg/l STOT Single Category 3 Statement

Target organ effects: Respiratory irritation Narcotic effects

Contains Additive 123

Unknown aquatic toxicity  $0\ \%$  of the mixture consists of component(s) of unknown hazards to the aquatic environment

Unknown Acute Aquatic Toxicity Unknown Chronic Aquatic Toxicity 0 Product ATE Oral Status 1 Product ATE Dermal Status 1

66.05341

Category 3

# Label elements

(Bad file name)

WARNING! This product can expose you to chemicals including those listed below, which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Chemical name	California Proposition 65
Vinyl Chloride Monomer -	Carcinogen